

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

COTTON VARIETIES PLANTED

1957 - 1961

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton Division

MEMPHIS, TENNESSEE
AUGUST 1961

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE

Cotton Division

COTTON VARIETIES PLANTED

1957-61

CONTENTS

	Table No.	Page No.
Introduction		1
Leading Varieties		1
United States Map		2
Varieties by States and United States	1	3
Varieties by States and Counties:		
Alabama		
Varieties by State	8	10
Varieties by Counties	9	11
Arizona		
Varieties by State	25	26
Varieties by Counties	26	27
Arkansas		
Varieties by State	16	16
Varieties by Counties	17	17
California		
Varieties by State	25	26
Varieties by Counties	26	27
Florida		
Varieties by State	24	26
Georgia		
Varieties by State	6	8
Varieties by Counties	7	9
Illinois		
Varieties by State	24	26
Kentucky		
Varieties by State	24	26
Louisiana		
Varieties by State	18	18
Varieties by Counties	19	19
Mississippi		
Varieties by State	10	12
Varieties by Counties	11	13
Missouri		
Varieties by State	14	15
Varieties by Counties	15	15
Nevada		
Varieties by State	25	26
New Mexico		
Varieties by State	25	26
Varieties by Counties	26	27
North Carolina		
Varieties by State	2	4
Varieties by Counties	3	5
Oklahoma		
Varieties by State	20	20
Varieties by Counties	21	21
South Carolina		
Varieties by State	4	6
Varieties by Counties	5	7
Tennessee		
Varieties by State	12	14
Varieties by Counties	13	15
Texas		
Varieties by State	22	22-23
Varieties by Counties	23	24-25
Texas-District 6		
Varieties by District	25	26
Varieties by Counties	26	27
Virginia		
Varieties by State	24	26

P. O. Box 8074, Crosstown Station

Memphis 4, Tennessee

August 1961

Cotton Varieties Planted, United States

1957-1961

Estimates of the percentages of the various varieties of cotton planted in the United States in 1961, by counties, districts, and states, are presented in this report. Comparative variety data for the four years 1957-60 are shown by districts and states. A preliminary report containing percentage distributions of cotton varieties planted by counties and districts in the early harvesting area of south Texas was published in early July.

The variety data presented herein are based principally on estimates furnished by cotton ginners for the territories served by their gins. Supplemental information is obtained from others closely associated with cotton culture in their respective areas, such as seed breeders and dealers, and county agents.

The estimates contained herein indicate that four general varieties account for nearly two-thirds of the cotton acreage in the United States this year. These varieties in their order of relative importance are Deltapine, Acala, Lankart and Coker. A percentage distribution of the ten leading general varieties in 1961 with comparisons for four previous years is shown at the foot of this page. All strains of each particular variety are combined for the purpose of the comparison.

Deltapine remains the leading variety of cotton in the United States with 27 percent of the total acreage, an increase of three percentage points over the previous year. Deltapine is the principal variety planted in Arizona, Arkansas, Kentucky, Louisiana, Mississippi and Tennessee. DPL Smooth Leaf, a Deltapine strain, continues to gain in popularity accounting for about 17 percent of total acreage this year against six percent a year ago. Acreage planted to Deltapine increased significantly in Arizona this year, accounting for 71 percent of the total compared with only 17 percent a year earlier.

Acala maintains second position this year with 17 percent of the total United States acreage against 21 percent last year. Acala continues to be the leading variety planted in California, New Mexico, Nevada and District 6 of Texas. Acala 1517C is the most popular of the Acala strains in all states named above with the exception of California where Acala 4-42 is predominate.

The third leading general variety of cotton planted this year is Lankart. Estimates indicate that this variety accounts for about 12 percent of total acreage this season, the same proportion as planted in 1960. Lankart is the leading variety planted in Texas and Oklahoma, accounting for 33 and 54 percent, respectively, of total acreage in each of these two states.

Coker is the fourth leading variety of cotton planted this year. Acreage planted to this variety represents about eight percent of the total, the same proportion as a year earlier. Coker continues as the principal variety in the southeastern states of Alabama, Georgia, Florida, North Carolina, South Carolina and Virginia and accounts for over one-half of the total cotton acreage in this area.

Other leading varieties planted this season are Rex, Gregg, Empire, Western Stormproof, Stoneville and Delfos. Rex is the principal variety planted in Missouri and also accounts for substantial acreage in Arkansas, North Carolina and Tennessee. Gregg is a newcomer to the list of this year's ten leading varieties representing sizable acreage in Oklahoma, New Mexico and Texas. Empire is planted to some extent in almost every state with the largest acreage found in Alabama, Georgia and Tennessee. The variety Western Stormproof accounts for four and ten percent, respectively, of total cotton acreage in Oklahoma and Texas. Stoneville is represented by fair-sized acreage in both the south central and southwestern states while Delfos accounts for about 18 and 20 percent, respectively, of the total cotton acreage in Arkansas and Missouri. Pima S-1 continues as the principal American-Egyptian variety with Pima S-2 accounting for a small acreage.

The variety data presented in this report are estimates which should serve as reliable guides as to the geographic distribution and proportions of the various varieties of cotton through the Cotton Belt.


Estimated percentage of cotton acreage planted to specified varieties, United States, 1957-61

Year	Acala	Coker	Delfos	Deltapine	Empire	Gregg	Lankart	Rex	Stoneville	Western Stormproof	Other 1/	Total
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1957	21	12	4	31	5	-	9	-	3	1	14	100
1958	25	10	3	25	6	*	13	*	2	2	14	100
1959	24	8	5	21	3	2	15	2	2	3	15	100
1960	21	8	4	24	4	3	12	4	3	3	14	100
1961	17	8	3	27	3	3	12	6	3	3	15	100


* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

UNITED STATES
Districts for Cotton Quality Reports



U. S. DEPARTMENT OF AGRICULTURE



U.S. DEPARTMENT OF AGRICULTURE

Table 2. North Carolina: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1957-61.

District and State	Ginnings	Coker	Dixie King	Empire	Rex	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent
District 1							
1957	50	97	-	3	-	*	100
1958	38	96	-	3	-	1	100
1959	78	96	-	3	-	1	100
1960	47	93	*	6	*	1	100
1961	-	88	2	6	3	1	100
District 2							
1957	113	99	-	*	-	1	100
1958	146	97	-	1	-	2	100
1959	144	99	-	*	-	1	100
1960	108	93	-	3	*	4	100
1961	-	73	*	2	25	*	100
District 3							
1957	73	99	-	*	-	1	100
1958	77	97	*	1	-	2	100
1959	114	98	*	1	-	1	100
1960	90	94	1	4	-	1	100
1961	-	80	1	4	15	*	100
State							
1957	236	99	-	1	-	*	100
1958	261	97	*	1	-	2	100
1959	336	99	*	1	-	-	100
1960	245	93	*	4	*	3	100
1961	-	78	1	4	17	*	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

Table 3. North Carolina: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1961.

District and County	Gins	1960 Ginnings	Coker 100	Dixie King	Empire	Rex	Other 1/	Total
	<u>Number</u>	<u>1,000 bales</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
District 1								
Anson	7	6.2	94	-	5	1	-	100
Cabarrus	3	1.0	95	5	-	-	-	100
Catawba	3	.3	64	-	36	-	-	100
Cleveland	21	16.5	92	-	2	4	2	100
Iredell	7	3.2	79	11	5	5	-	100
Lincoln	7	3.4	86	4	4	2	4	100
Mecklenburg	5	3.6	91	-	8	-	1	100
Rowan	3	1.7	38	10	52	-	-	100
Rutherford	5	2.0	82	3	2	13	-	100
Stanley	4	.5	100	-	-	-	-	100
Union	11	6.3	95	1	1	3	-	100
All Other	5	2.0	66	1	26	7	-	100
Total	81	46.7	88	2	6	3	1	100
			Auburn 56	Coker 100	Empire	Rex	Other 1/	Total
District 2								
Bertie	4	2.9	-	78	-	22	-	100
Chowan	3	1.6	-	94	-	5	1	100
Edgecombe	6	4.5	-	84	1	14	1	100
Franklin	5	5.8	-	92	-	8	-	100
Halifax	15	20.1	-	81	-	19	-	100
Hertford	3	3.2	-	71	-	29	-	100
Johnston	18	10.4	1	63	-	36	-	100
Nash	12	9.9	-	78	1	19	2	100
Northampton	16	18.2	-	50	11	39	-	100
Pitt	5	3.6	1	34	-	65	-	100
Wake	3	2.3	-	99	-	1	-	100
Warren	8	6.1	-	96	-	4	-	100
Wayne	8	4.7	2	51	1	45	1	100
Wilson	7	5.1	-	72	-	28	-	100
All Other	9	9.9	1	79	*	20	*	100
Total	122	108.3	*	73	2	25	*	100
			Coker 100	Dixie King	Empire	Rex	Other 1/	Total
District 3								
Cumberland	6	4.4	80	-	-	20	-	100
Harnett	11	12.8	86	-	-	14	-	100
Hoke	4	5.0	84	-	-	8	8	100
Lee	3	1.6	88	-	-	12	-	100
Richmond	3	.7	95	-	-	5	-	100
Robeson	21	28.4	69	2	12	17	-	100
Sampson	12	14.5	73	2	-	24	1	100
Sootland	8	14.2	90	-	-	10	-	100
All Other	8	8.4	91	-	3	6	-	100
Total	76	90.0	80	1	4	15	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 4. South Carolina: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1957-61.

District and State	Ginnings	Coker 100	Dixie King	Empire	Rex	Wannamaker All-in-One	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1								
1957	69	97	*	2	-	*	1	100
1958	57	95	2	1	-	1	1	100
1959	92	90	7	2	-	1	*	100
1960	70	89	7	2	*	1	1	100
1961	-	85	11	1	*	1	2	100
District 2								
1957	190	98	1	1	-	*	*	100
1958	163	97	1	1	-	-	1	100
1959	220	94	3	2	-	-	1	100
1960	222	87	7	4	*	-	2	100
1961	-	89	6	1	2	-	2	100
District 3								
1957	87	98	1	1	-	*	*	100
1958	82	93	5	1	-	1	*	100
1959	109	89	9	1	*	1	*	100
1960	127	87	10	1	1	1	*	100
1961	-	86	10	1	2	1	*	100
State								
1957	346	98	1	1	-	*	*	100
1958	302	96	2	1	-	*	1	100
1959	421	92	5	2	*	1	*	100
1960	419	87	8	3	*	1	1	100
1961	-	87	8	1	2	1	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 5. South Carolina: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1961.

District and County	Gins	1960 Ginnings	Coker 100	DeKalb	Dixie King	Empire	Wannamaker All-in-One	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
Abbeville	3	5.1	55	*	42	3	-	*	100
Anderson	18	13.3	75	3	21	1	-	*	100
Cherokee	7	3.9	91	-	*	9	-	-	100
Chester	3	3.4	93	-	*	-	-	7	100
Edgefield	6	8.0	90	-	10	-	-	*	100
Greenville	10	4.3	91	*	3	2	4	-	100
Laurens	10	6.5	81	*	13	-	6	*	100
McCormick	3	1.3	82	18	*	-	-	*	100
Newberry	6	3.8	90	1	3	5	1	-	100
Oconee	3	2.5	100	-	-	-	-	-	100
Pickens	6	1.4	93	3	4	-	-	-	100
Saluda	5	2.2	97	-	3	-	-	-	100
Spartanburg	15	3.5	95	-	-	1	-	4	100
York	10	7.5	93	-	5	-	-	2	100
All Other	6	3.7	99	-	1	-	-	*	100
Total	111	70.4	85	1	11	1	1	1	100
			Coker 100	Dixie King	Empire	Rex	Other 1/	----	Total
District 2									
Chesterfield	11	14.2	83	9	8	-	*	-	100
Clarendon	11	26.0	89	9	1	*	1	-	100
Darlington	9	14.8	97	1	-	*	2	-	100
Dillon	9	10.9	71	18	-	7	4	-	100
Florence	14	23.5	96	3	-	1	-	-	100
Lancaster	4	3.4	98	-	-	*	2	-	100
Lee	14	34.0	100	*	-	*	-	-	100
Marion	3	6.0	100	-	-	-	-	-	100
Marlboro	13	25.7	75	11	*	7	7	-	100
Richland	4	3.5	91	9	-	-	-	-	100
Sumter	19	35.1	91	4	*	-	5	-	100
Williamsburg	8	18.4	79	11	-	7	3	-	100
All Other	4	6.0	88	7	2	-	3	-	100
Total	123	221.5	89	6	1	2	2	-	100
			Coker 100	Dixie King	Empire	Rex	Wannamaker All-in-One	Other 1/	Total
District 3									
Aiken	7	11.1	81	16	1	2	-	*	100
Allendale	3	6.2	88	10	-	2	-	*	100
Bamberg	4	9.5	90	5	5	-	-	*	100
Barnwell	5	8.6	91	6	-	3	-	*	100
Calhoun	6	10.7	69	12	*	2	17	-	100
Colleton	4	4.4	79	18	-	3	-	-	100
Dorchester	4	6.8	92	5	-	3	-	-	100
Hampton	6	9.0	86	14	-	*	-	*	100
Lexington	5	5.5	97	2	1	-	*	-	100
Orangeburg	28	51.8	85	11	1	3	*	-	100
All Other	2	3.7	91	3	-	6	-	*	100
Total	74	127.3	86	10	1	2	1	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 6. Georgia: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1957-61.

District and State	Ginnings	Auburn 56	Coker 100	Delta-pine	Dixie King	Empire	Plains	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
1957	116	-	57	7	*	35	*	1	100
1958	85	*	57	7	*	35	*	1	100
1959	175	*	64	4	1	31	*	*	100
1960	128	*	50	3	7	37	*	3	100
1961	-	*	47	2	12	35	*	4	100
District 2									
1957	172	-	42	13	-	30	13	2	100
1958	160	-	46	10	*	31	10	3	100
1959	201	-	48	8	1	26	15	2	100
1960	224	1	47	7	3	29	11	2	100
1961	-	5	48	5	7	24	9	2	100
District 3									
1957	101	-	68	4	-	23	2	3	100
1958	104	-	71	3	1	20	2	3	100
1959	145	-	66	3	3	18	2	8	100
1960	156	*	63	1	9	23	1	3	100
1961	-	3	59	2	17	17	*	2	100
State									
1957	389	-	53	9	*	30	6	2	100
1958	349	*	57	7	*	29	5	2	100
1959	521	*	58	6	1	25	7	3	100
1960	508	1	52	4	6	30	5	2	100
1961	-	3	52	3	11	25	4	2	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 7. Georgia: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1961.

District and County	Gine	1960 Ginnings	Coker 100	DeKalb 100	Delta-pine	Dixie King	Empire	Other 1/	Total
	<u>Number</u>	<u>1,000 bales</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
District 1									
Barrow	3	3.2	27	-	-	-	73	-	100
Bartow	9	13.7	38	-	-	1	60	1	100
Carroll	8	3.0	71	-	-	9	20	-	100
Goweta	4	3.9	-	-	-	41	59	-	100
Floyd	5	3.3	61	-	-	4	32	3	100
Franklin	6	3.6	40	-	-	-	60	-	100
Gordon	5	7.8	27	1	-	2	70	-	100
Gwinnett	4	1.3	52	-	-	-	48	-	100
Hart	6	6.7	67	-	-	14	19	-	100
Henry	4	2.7	53	-	7	5	35	-	100
Jackson	7	2.7	34	-	3	5	35	23	100
Jasper	3	1.4	47	-	7	3	43	-	100
Madison	5	6.5	56	43	-	-	1	-	100
Meriwether	4	4.5	63	-	21	14	2	-	100
Morgan	6	6.7	55	-	-	36	9	-	100
Pike	3	3.3	54	-	-	1	45	-	100
Polk	3	4.1	31	-	-	1	68	-	100
Walton	8	9.1	84	-	1	15	-	-	100
All Other	36	40.2	45	1	2	17	34	1	100
Total	129	127.7	47	3	2	12	35	1	100
			Coker 100	Delta-pine	Dixie King	Empire	Plains	Other 1/	Total
District 2									
Brooks	4	8.3	52	-	10	21	15	2	100
Calhoun	3	7.7	75	-	-	12	1	12	100
Colquitt	9	22.7	39	-	3	22	27	9	100
Crisp	8	10.8	43	-	10	27	14	6	100
Dodge	7	6.0	73	4	-	22	1	-	100
Dooly	8	15.8	51	14	17	5	10	3	100
Irwin	3	7.5	40	-	1	56	1	2	100
Macon	5	6.4	60	3	1	9	1	26	100
Mitchell	4	8.9	46	1	-	47	5	1	100
Pulaski	4	9.4	42	17	10	12	9	10	100
Sumter	4	9.9	37	30	18	4	7	4	100
Taylor	4	7.8	45	-	6	47	-	2	100
Terrell	5	11.4	51	5	1	19	9	15	100
Thomas	3	3.8	48	1	4	10	37	-	100
Tift	4	9.2	37	-	20	27	16	-	100
Turner	4	8.7	51	1	9	25	11	3	100
Wilcox	4	7.1	51	-	17	15	8	9	100
Worth	7	9.7	34	-	-	52	8	6	100
All Other	40	53.3	52	6	3	26	3	10	100
Total	130	224.4	48	5	7	24	9	7	100
			Auburn 56	Coker 100	Delta-pine	Dixie King	Empire	Other 1/	Total
District 3									
Bulloch	5	12.1	-	75	-	6	19	-	100
Burke	13	28.8	4	76	-	11	7	2	100
Candler	3	6.0	18	59	-	17	6	-	100
Emanuel	5	7.2	-	58	-	3	38	1	100
Jefferson	8	15.4	5	36	-	42	15	2	100
Johnson	4	7.8	3	65	2	11	19	-	100
Laurens	7	14.3	-	55	15	10	16	4	100
Scriven	5	12.0	3	29	-	59	9	-	100
Toombs	4	7.4	2	58	-	17	11	12	100
Washington	5	11.0	12	46	1	4	37	-	100
All Other	20	33.7	-	63	1	10	22	4	100
Total	79	155.7	3	59	2	17	17	2	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 8. Alabama: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1957-61.

District and State	Ginnings	Auburn 56	Coker 100	Delta-pine	Dixie King	Empire	Fox	Plains	Stoneville	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
1957	268	*	16	27	*	35	2	10	7	3	100
1958	220	*	11	25	1	42	2	9	7	3	100
1959	406	1	11	20	11	40	2	11	4	-	100
1960	398	*	11	14	18	44	1	7	2	3	100
1961	-	10	13	8	26	32	2	4	1	4	100
District 2											
1957	160	1	52	28	1	7	*	9	1	1	100
1958	136	2	51	26	4	7	1	7	*	2	100
1959	180	4	50	18	13	5	*	8	*	2	100
1960	202	10	42	11	21	9	-	6	*	1	100
1961	-	17	34	4	33	6	-	5	*	1	100
District 3											
1957	99	1	51	6	*	8	*	24	*	10	100
1958	86	3	59	2	-	5	-	23	*	8	100
1959	129	2	53	2	1	7	-	26	-	9	100
1960	156	14	52	2	1	5	-	20	-	6	100
1961	-	24	52	1	5	4	-	10	-	4	100
State											
1957	527	1	34	24	*	21	1	12	4	3	100
1958	442	1	33	21	2	26	1	11	4	1	100
1959	715	2	31	16	9	23	1	13	2	3	100
1960	756	6	26	11	16	28	1	9	1	2	100
1961	-	15	25	6	24	19	1	6	1	3	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

Table 9. Alabama: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1961.

District and County	Gins	1960 Ginnings	Auburn 56	Goker 100	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Plains	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Blount	8	10.7	6	60	-	-	13	15	6	-	100
Cherokee	14	20.0	21	19	1	2	22	27	3	5	100
Colbert	8	16.5	15	-	26	5	36	10	-	8	100
Cullman	23	34.0	5	2	-	-	46	17	25	5	100
De Kalb	27	38.4	3	33	-	-	44	10	7	3	100
Etowah	9	7.8	3	50	3	-	9	25	7	3	100
Franklin	7	12.2	4	14	27	-	39	6	1	9	100
Jackson	13	20.6	3	4	3	-	37	46	5	2	100
Lauderdale	15	20.9	12	-	38	-	12	36	-	2	100
Lawrence	15	33.3	18	-	7	4	41	21	-	9	100
Limestone	21	48.3	22	3	-	3	-	72	-	-	100
Madison	24	60.7	3	11	11	7	12	46	-	10	100
Marion	4	8.9	14	3	43	-	14	16	6	4	100
Marshall	21	32.3	3	36	1	-	33	17	8	2	100
Morgan	15	27.6	14	-	-	-	26	45	2	13	100
Winston	4	5.3	-	2	44	-	49	-	5	-	100
Total	228	397.5	10	13	8	2	26	32	4	5	100

Auburn 56	Goker 100	Delta-pine	Dixie King	Empire	Plains	Stoneville	Other 1/	Total
-----------	-----------	------------	------------	--------	--------	------------	----------	-------

District 2

Autauga	5	5.9	59	34	-	3	-	-	3	1	100
Calhoun	6	5.4	23	6	-	24	2	45	-	-	100
Chambers	3	4.4	-	45	2	53	-	-	-	-	100
Chilton	4	5.7	19	48	-	-	5	28	-	-	100
Clay	4	.9	-	58	-	11	31	-	-	-	100
Dallas	9	24.3	13	52	2	18	14	1	-	-	100
Elmore	6	12.1	20	53	-	22	-	5	-	-	100
Fayette	5	9.7	-	-	-	77	11	10	-	2	100
Hale	8	12.0	7	21	11	34	9	15	-	3	100
Lamar	5	5.9	19	7	6	27	6	11	-	24	100
Lowndes	8	6.6	26	53	1	3	-	17	-	-	100
Macon	5	12.3	28	60	-	12	-	-	-	-	100
Marengo	5	11.7	6	26	10	58	-	-	-	-	100
Montgomery	5	7.3	39	52	1	6	1	1	-	-	100
Perry	5	7.4	9	19	18	48	2	-	4	-	100
Pickens	10	10.5	3	17	3	75	1	-	-	1	100
Randolph	4	3.0	-	38	-	2	60	-	-	-	100
Russell	6	7.7	7	63	-	29	1	-	-	-	100
St. Clair	3	1.6	5	31	3	57	2	2	-	-	100
Shelby	3	7.9	93	-	5	-	-	2	-	-	100
Sumter	6	7.8	7	34	20	39	-	-	-	-	100
Talladega	3	5.4	11	39	2	29	19	-	-	-	100
Tuscaloosa	5	9.4	2	-	2	71	20	-	-	5	100
All Other	16	17.5	15	37	2	38	4	1	-	3	100
Total	139	202.4	17	34	4	33	6	5	*	1	100

Auburn 56	Goker 100	Delta-pine	Dixie King	Empire	Plains	Wannamaker All-in-one	Other 1/	Total
-----------	-----------	------------	------------	--------	--------	-----------------------	----------	-------

District 3

Barbour	6	8.1	12	71	-	-	8	8	-	1	100
Bullock	3	3.7	1	98	-	-	1	-	-	-	100
Butler	3	6.0	18	44	2	6	2	6	19	3	100
Coffee	4	8.6	27	55	3	1	5	7	2	-	100
Conecuh	4	7.0	25	51	1	7	-	6	10	-	100
Covington	4	11.4	33	49	-	-	-	10	7	1	100
Crenshaw	4	5.3	15	37	3	8	8	23	6	-	100
Dale	3	4.4	8	83	-	-	2	7	-	-	100
Escambia	3	9.8	8	87	3	1	-	-	-	1	100
Geneva	10	21.3	35	40	-	1	3	14	7	-	100
Henry	5	10.8	10	57	-	13	9	11	-	-	100
Houston	8	19.0	31	39	-	3	5	14	8	-	100
Monroe	7	13.5	30	42	6	13	-	8	-	1	100
Pike	7	9.1	42	35	-	6	11	4	-	2	100
Wilcox	7	7.8	7	50	1	20	-	22	-	-	100
All Other	2	10.6	19	75	5	-	-	1	-	-	100
Total	80	156.4	24	52	1	5	4	10	4	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 10. Mississippi: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1957-61.

District and State	Ginnings 1,000 bales	Ooker 100 Percent	Delta- pine Percent	DPL Smooth Leaf Percent	Dixie King Percent	Empire Percent	Fox Percent	Rex Percent	Stone- ville Percent	Other 1/ Percent	Total Percent
District 1											
1957	664	4	75	-	2	-	7	-	1	11	100
1958	615	6	79	*	1	-	5	-	2	7	100
1959	1,016	3	70	3	3	*	5	-	3	13	100
1960	959	2	34	31	1	-	11	2	8	11	100
1961	-	1	20	62	1	-	5	1	4	6	100
District 2											
1957	213	4	75	-	-	5	1	-	10	5	100
1958	223	5	78	*	*	4	*	-	8	5	100
1959	335	*	74	1	3	4	2	1	8	7	100
1960	359	1	68	4	5	2	1	8	7	4	100
1961	-	2	36	26	8	3	2	10	10	3	100
District 3											
1957	123	9	80	-	*	7	1	-	2	1	100
1958	82	15	76	-	*	6	1	-	2	*	100
1959	141	13	75	-	*	5	*	-	4	3	100
1960	148	12	69	3	1	4	1	2	6	2	100
1961	-	12	37	30	2	5	*	4	8	2	100
District 4											
1957	70	14	72	-	-	8	2	-	4	*	100
1958	35	13	74	-	-	8	1	-	4	*	100
1959	60	15	71	-	-	10	1	-	2	1	100
1960	62	19	61	*	1	12	*	2	3	2	100
1961	-	19	43	17	3	10	1	1	1	5	100
State											
1957	1,070	5	76	-	1	3	4	-	5	6	100
1958	955	5	79	*	1	2	3	-	2	8	100
1959	1,552	2	71	2	3	2	4	1	4	11	100
1960	1,528	3	46	21	2	1	7	3	7	10	100
1961	-	3	27	49	3	2	3	3	5	5	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 11. Mississippi: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1961.

District and County	Gins	1960 Ginnings	Coker 100	Delros	Delta-pine	DPL Smooth Leaf	Fox	Rex	Stoneville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Bolivar	52	142.4	2	-	19	68	6	2	-	3	100
Coahoma	43	123.3	-	-	18	71	3	1	3	4	100
Holmes	19	49.6	1	-	38	54	-	-	1	6	100
Humphreys	16	52.7	-	23	6	59	-	-	11	1	100
Issaquena	3	10.9	-	-	5	85	6	-	-	4	100
Leflore	30	99.8	3	2	33	49	3	-	4	6	100
Quitman	22	62.2	-	1	26	42	6	6	12	7	100
Sharkey	15	36.9	-	-	4	79	4	-	11	2	100
Sunflower	38	124.9	-	-	37	56	1	-	-	6	100
Tallahatchie	24	59.9	-	5	32	40	10	1	9	3	100
Tunica	21	47.0	1	-	5	90	1	1	-	2	100
Washington	41	99.4	-	2	-	76	14	-	5	3	100
Yazoo	13	44.8	4	21	10	50	-	-	10	5	100
All Other	2	5.3	-	-	20	75	-	-	-	5	100
Total	339	959.1	1	3	20	62	5	1	4	4	100
District 2											
Aloorn	5	13.5	15	5	38	21	-	5	13	3	100
Banton	5	10.3	31	18	-	17	-	2	21	11	100
Calhoun	7	14.9	5	2	16	-	5	15	55	2	100
Chickasaw	9	18.4	41	30	4	-	-	2	18	5	100
De Soto	15	34.4	23	56	-	6	-	8	-	7	100
Granade	5	11.9	48	37	6	-	1	-	3	5	100
Itawamba	5	5.8	46	-	21	-	-	22	4	7	100
Lefayette	4	10.9	40	36	-	-	1	2	18	3	100
Lee	13	23.3	52	13	11	1	2	12	5	4	100
Marshall	16	30.5	29	26	1	5	1	11	20	7	100
Monroe	12	23.9	38	44	5	2	2	7	1	1	100
Penole	21	51.6	46	30	-	-	6	6	10	2	100
Pontotoc	8	16.2	37	7	26	-	-	20	5	5	100
Prentiss	9	14.1	32	11	33	-	-	7	1	16	100
Tate	10	29.3	39	35	-	2	3	9	3	9	100
Tippah	9	19.4	30	11	3	9	1	30	4	12	100
Tishomingo	4	6.4	35	-	54	-	-	6	-	5	100
Union	6	11.4	31	15	16	7	2	18	4	7	100
Yalobusha	3	13.1	52	19	3	-	7	10	3	6	100
Total	166	359.3	36	26	8	3	2	10	10	5	100
District 3											
Atteale	6	8.6	22	51	11	-	8	1	-	7	100
Cerro	5	12.0	14	32	45	-	-	-	4	5	100
Cley	5	6.9	2	67	18	4	3	-	2	4	100
Hinde	9	14.0	6	49	33	-	5	-	3	4	100
Kemper	3	2.2	14	44	33	-	3	-	2	4	100
Lauderdale	3	2.5	66	17	-	-	7	6	-	4	100
Leake	5	9.6	27	23	41	-	4	4	-	1	100
Lowndes	7	11.6	2	64	30	-	-	-	-	4	100
Madison	13	20.2	12	19	16	-	6	5	35	7	100
Montgomery	5	8.7	5	39	46	-	1	-	4	5	100
Neshoba	3	8.6	24	21	6	-	3	46	-	-	100
Noxubee	6	10.7	1	12	85	1	-	-	-	1	100
Renkin	3	5.5	-	65	5	-	1	-	25	4	100
Scott	5	5.9	24	27	13	8	25	-	-	3	100
Webster	5	8.4	1	42	43	-	1	-	13	-	100
Winston	5	8.7	16	32	26	8	15	-	-	3	100
All Other	4	3.7	8	52	5	19	11	-	5	*	100
Total	92	147.8	12	37	30	2	5	4	8	2	100
District 4											
Amite	6	2.5	7	2	65	17	-	6	-	3	100
Copiah	5	4.4	-	9	22	24	-	20	5	20	100
Covington	7	6.6	-	32	50	-	-	16	-	2	100
Jasper	4	3.0	3	36	54	3	-	3	-	1	100
Jefferson Davis	6	10.9	-	22	38	30	-	5	-	5	100
Jefferson	3	1.9	-	-	100	-	-	-	-	-	100
Lawrence	3	2.8	14	7	21	45	-	9	3	1	100
Merion	4	4.4	-	25	42	5	-	20	-	8	100
Simpeon	5	4.3	-	10	64	6	1	14	1	4	100
Walthall	3	4.1	15	-	37	37	-	5	-	6	100
All Other	17	17.0	6	22	38	13	9	7	1	4	100
Total	63	61.9	4	19	43	17	3	10	1	3	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 12. Tennessee: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1957-61.

District and State	Ginnings	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Fox	Rex	Stoneville	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1										
1957	375	66	-	-	16	6	-	5	7	100
1958	390	67	-	*	19	4	-	4	6	100
1959	598	64	3	-	20	3	1	3	6	100
1960	532	35	22	2	17	6	8	4	6	100
1961	-	18	39	9	15	4	9	2	4	100
District 2										
1957	29	25	-	-	52	2	-	2	19	100
1958	21	26	-	-	57	3	-	-	14	100
1959	44	20	-	-	67	1	-	1	11	100
1960	39	25	3	2	43	4	8	4	11	100
1961	-	2	10	-	73	*	-	-	15	100
State										
1957	404	63	-	-	19	6	-	4	8	100
1958	411	63	-	*	22	4	-	4	7	100
1959	642	62	2	-	23	3	1	3	6	100
1960	571	35	21	2	19	6	8	4	5	100
1961	-	17	37	8	19	4	9	2	4	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

Table 13. Tennessee: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1961.

District and County	Gins	1960 Ginnings	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Fox	Rex	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Carroll	13	22.5	4	41	37	17	-	-	-	1	100
Chester	6	11.3	31	44	1	1	-	20	-	3	100
Crockett	12	38.3	11	53	3	19	2	10	-	2	100
Dyer	17	36.6	4	52	3	8	5	7	11	10	100
Fayette	16	31.6	46	23	8	5	3	4	9	2	100
Gibson	20	55.6	10	12	10	58	-	4	2	4	100
Hardeman	11	22.1	13	61	2	7	-	11	1	5	100
Hardin	5	5.5	70	5	-	-	2	20	-	3	100
Haywood	19	42.3	24	62	2	6	2	4	-	-	100
Henderson	13	18.2	15	26	6	28	-	25	-	-	100
Henry	3	2.9	-	13	12	54	16	-	-	5	100
Lake	10	33.8	5	78	-	-	12	1	-	4	100
Lauderdale	19	46.3	17	18	21	16	4	17	4	3	100
McNairy	14	20.0	48	11	11	1	2	17	-	10	100
Madison	19	33.5	29	41	4	16	3	3	-	4	100
Obion	7	11.9	17	46	10	11	5	6	4	1	100
Shelby	19	37.9	16	48	6	4	6	9	1	10	100
Tipton	19	50.2	14	31	17	3	12	20	-	3	100
Weakley	5	8.5	5	16	15	57	-	-	2	5	100
All Other	3	2.6	27	10	8	29	-	14	-	12	100
Total	250	531.6	18	39	9	15	4	9	2	4	100

Cobalt	Coker 100	Delta- pine	DPL Smooth Leaf	Empire	Fox	Pope	Other 1/	Total
-	-	7	21	70	-	-	2	100
7	2	1	1	85	-	2	2	100
-	22	2	-	73	-	-	3	100
-	-	-	74	9	1	16	-	100
1	4	3	20	67	1	2	2	100
3	8	2	10	73	*	2	2	100

Table 14. Missouri: Estimated percentage of cotton acreage planted to specified varieties, 1957-61.


Year	Ginnings	Auburn 56	Delfos	Delta-pine	DPL Smooth Leaf	Fox	Rex	Stone-ville	Other 1/	----	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1957	183	-	32	29	-	22	-	12	5	-	100
1958	285	1	36	30	-	22	•	8	3	-	100
1959	514	5	35	26	2	18	4	7	3	-	100
1960	481	4	25	16	9	26	13	6	1	-	100
1961	-	3	20	7	12	23	28	6	1	-	100

Table 15. Missouri: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1961.

County	Gins	1960 Ginnings	Auburn 56	Delfos	Delta-pine	DPL Smooth Leaf	Fox	Rex	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
County											
Butler	10	21.0	2	7	18	2	8	20	43	-	100
Dunklin	35	104.7	8	28	2	8	13	28	9	4	100
Mississippi	14	41.9	8	1	4	6	35	45	1	-	100
New Madrid	39	125.9	-	37	10	8	26	14	4	1	100
Pemiscot	32	125.8	-	10	11	18	18	40	1	2	100
Scott	10	24.5	-	1	1	28	49	15	4	2	100
Stoddard	12	35.2	1	18	2	14	31	29	3	2	100
All Other	1	1.6	-	-	6	-	-	90	-	4	100
Total	153	480.6	3	20	7	12	23	28	6	1	100

• Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



U.S. DEPARTMENT OF AGRICULTURE

Table 16. Arkansas: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1957-61.

District and State	Ginnings	Delfos	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Fox	Rex	Stone-ville	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
1957	22	*	56	-	-	6	*	-	2	36	100
1958	17	4	58	-	-	11	*	1	*	26	100
1959	33	-	52	-	-	6	5	18	*	19	100
1960	32	-	52	3	-	5	1	31	-	8	100
1961	-	*	30	21	-	2	2	40	*	5	100
District 2											
1957	516	20	67	-	-	5	5	-	1	2	100
1958	515	16	60	-	*	6	5	6	4	3	100
1959	911	22	53	*	-	4	4	13	2	2	100
1960	788	18	29	10	*	3	5	31	2	2	100
1961	-	13	12	21	1	2	4	45	1	1	100
District 3											
1957	65	2	79	-	-	2	-	-	6	11	100
1958	49	3	85	-	-	1	1	*	3	7	100
1959	89	5	61	2	-	2	-	8	14	8	100
1960	79	4	51	12	1	2	*	15	9	6	100
1961	-	2	19	41	*	3	*	18	8	9	100
District 4											
1957	362	26	62	-	-	1	1	-	7	3	100
1958	343	25	66	-	-	*	1	2	3	3	100
1959	501	43	42	*	-	1	1	8	2	3	100
1960	447	26	40	11	-	*	3	13	2	5	100
1961	-	29	22	28	-	*	3	13	1	4	100
State											
1957	965	20	66	-	-	3	3	-	3	5	100
1958	924	18	63	-	*	4	3	4	3	5	100
1959	1,534	28	50	*	-	3	3	11	3	2	100
1960	1,346	19	34	11	*	2	4	24	2	4	100
1961	-	18	16	24	1	2	3	32	2	2	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

Table 17. Arkansas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1961

District and County	Gins	1960 Ginnings	Delta-pine	DPL Smooth Leaf	Empire	Fox	Hybrid and Half & Half	Rex	Other ^{1/}	Total
	<u>Number</u>	<u>1,000 bales</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
District 1										
Faulkner	4	5.2	16	59	5	-	7	13	-	100
White	9	8.8	1	-	-	-	11	86	2	100
Yell	3	10.7	41	33	-	5	-	21	-	100
All Other	9	7.1	55	3	5	-	6	30	1	100
Total	25	31.8	30	21	2	2	5	40	*	100
District 2										
Clay	21	43.6	29	4	13	15	1	32	6	100
Craighead	33	91.5	45	5	14	-	-	30	6	100
Crittenden	43	102.9	-	8	41	-	4	47	-	100
Cross	19	36.8	11	16	15	2	2	53	1	100
Greene	15	36.6	25	1	13	10	-	47	4	100
Jackson	18	46.6	1	2	9	2	-	80	6	100
Lawrence	9	17.7	1	2	3	22	-	64	8	100
Mississippi	64	210.2	7	18	16	-	10	45	4	100
Poinsett	26	92.4	16	11	21	-	4	47	1	100
Randolph	7	11.6	1	-	4	4	2	81	8	100
St. Francis	26	62.6	13	28	26	2	1	25	5	100
Woodruff	12	35.7	-	15	57	-	-	27	1	100
Total	295	788.4	13	12	21	2	4	45	3	100
District 3										
Ashley	10	24.4	6	19	37	-	8	24	6	100
Columbia	4	3.4	-	-	1	21	73	-	5	100
Drew	5	10.3	1	20	53	-	5	-	21	100
Hempstead	7	4.2	-	4	44	-	27	-	25	100
Lafayette	4	11.2	-	16	66	-	13	-	5	100
Little River	4	3.4	-	10	76	-	9	-	5	100
Miller	4	7.2	-	40	49	-	6	-	5	100
All Other	11	15.0	-	20	17	9	41	2	11	100
Total	49	79.1	2	19	41	3	18	8	9	100
District 4										
Arkansas	6	7.8	-	23	34	8	30	-	5	100
Chicot	10	35.4	31	11	43	7	2	1	5	100
Desha	15	46.6	48	7	30	1	5	5	4	100
Jefferson	31	74.5	25	13	44	6	-	-	12	100
Lee	19	56.7	5	33	7	3	46	4	2	100
Lincoln	11	33.6	38	28	26	-	4	-	4	100
Lonoke	21	64.0	90	1	4	-	2	-	3	100
Monroe	11	32.0	-	45	46	3	2	-	4	100
Phillips	40	79.6	-	37	35	3	21	-	4	100
Prairie	3	6.3	4	73	4	-	14	-	5	100
Pulaski	10	10.3	41	1	11	-	41	2	4	100
Total	177	446.8	29	22	28	3	13	1	4	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.



U.S. DEPARTMENT OF AGRICULTURE

Table 18. Louisiana: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1957-61.

District and State	Ginnings	Auburn 56	Delta-pine	DPL Smooth Leaf	Fox	Stardel	Stoneville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
1957	78	-	93	-	-	3	*	4	100
1958	72	2	95	-	-	2	-	1	100
1959	133	1	92	-	1	3	-	3	100
1960	126	2	84	5	*	3	*	6	100
1961	-	5	50	35	3	5	1	1	100
District 2									
1957	8	-	92	-	-	*	*	8	100
1958	3	-	87	-	-	1	-	12	100
1959	3	-	80	-	-	-	-	20	100
1960	2	4	58	-	-	-	-	38	100
1961	-	39	21	-	-	-	-	40	100
District 3									
1957	186	-	91	-	2	*	2	5	100
1958	153	-	92	-	1	1	2	4	100
1959	260	-	91	-	2	-	1	6	100
1960	269	-	82	11	2	-	2	3	100
1961	-	*	43	46	-	-	5	6	100
District 4									
1957	74	-	85	-	*	*	13	2	100
1958	65	-	87	-	-	*	11	2	100
1959	91	1	89	-	*	*	10	-	100
1960	99	-	90	*	1	*	7	2	100
1961	-	-	29	60	*	1	9	1	100
State									
1957	346	-	90	-	1	1	5	3	100
1958	293	*	92	-	1	1	3	3	100
1959	487	-	90	-	1	1	3	5	100
1960	496	*	84	7	1	1	2	5	100
1961	-	2	41	45	3	2	5	2	100

* Less than 0.5 percent.


1/ Includes small acreages planted to varieties other than those specified.

Table 19. Louisiana: Estimated percentage of cotton acreage planted to specified varieties, by parishes and districts, crop of 1961.

District and Parish	Gins	1960 Ginnings	Auburn 56	Delta-pine	DPL Smooth Leaf	Fox	Stardel	Stone-ville	Other 1/	Total
		1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1	Number									
Bossier	8	21.6	3	50	33	-	11	-	3	100
Caddo	12	34.8	3	53	36	8	-	-	-	100
Natchitoches	10	20.4	12	57	29	-	-	-	2	100
Rapides	12	30.8	4	32	48	4	6	4	2	100
Red River	5	10.2	-	66	15	-	18	-	1	100
All Other	4	7.9	6	52	33	2	3	2	2	100
Total	51	125.7	5	50	35	3	5	1	1	100
			Auburn 56	Coker 100	Delta-pine	Rex	Other 1/	----	----	Total
District 2										
Lincoln	3	.7	16	11	12	61	-	-	-	100
All Other	3	1.7	52	2	27	19	-	-	-	100
Total	6	2.4	39	5	21	35	-	-	-	100
			Auburn 56	Delfos	Delta-pine	DPL Smooth Leaf	Fox	Stone-ville	Other 1/	Total
District 3										
Catahoula	4	11.2	-	-	77	1	-	19	3	100
Concordia	6	12.0	-	-	39	40	-	17	4	100
East Carroll	10	32.2	-	9	10	69	2	7	3	100
Franklin	19	48.1	-	-	47	41	2	8	2	100
Madison	7	19.2	-	-	57	36	1	5	1	100
Morehouse	11	31.0	-	-	27	64	5	3	1	100
Ouachita	5	16.8	-	-	43	45	10	-	2	100
Richland	17	44.5	1	-	50	43	-	4	2	100
Tensas	6	23.4	3	-	49	40	6	-	2	100
West Carroll	11	24.2	-	-	57	40	-	-	3	100
All Other	2	6.8	-	-	18	37	32	13	-	100
Total	98	269.4	*	1	43	46	3	5	2	100
			Coker 100	Delta-pine	DPL Smooth Leaf	Plains	Stardel	Stone-ville	Other 1/	Total
District 4										
Acadia	4	6.4	-	16	80	-	-	4	-	100
Avoyelles	12	22.0	-	49	39	-	6	5	1	100
Evangeline	12	13.7	-	-	98	-	-	1	1	100
Lafayette	9	11.1	-	26	68	-	-	6	-	100
Pointe Coupee	5	4.0	-	36	32	-	-	32	-	100
St. Landry	26	33.0	-	27	58	1	-	14	-	100
St. Martin	4	3.3	-	26	25	8	-	40	1	100
All Other	6	5.3	4	42	43	9	-	*	2	100
Total	78	98.8	*	29	60	1	1	9	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



U.S. DEPARTMENT OF AGRICULTURE

Table 20. Oklahoma: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1957-61.

District and State	Ginnings	Delta-pine	Gregg	Lankart	Lockett	Northern Star	Parrot	Stone-ville	Western Stormproof	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
1957	214	*	-	49	6	17	7	*	9	12	100
1958	250	-	-	59	2	13	7	1	10	8	100
1959	295	*	1	54	2	10	8	*	16	9	100
1960	363	1	-	48	2	21	7	*	16	5	100
1961	-	1	2	61	3	13	7	1	5	7	100
District 2											
1957	16	27	-	6	*	4	2	49	-	12	100
1958	22	40	-	13	-	5	2	37	-	3	100
1959	38	34	-	6	-	3	8	42	*	7	100
1960	37	27	-	11	-	8	12	37	*	5	100
1961	-	28	-	15	-	4	11	38	*	4	100
District 3											
1957	29	35	-	25	1	3	5	19	-	12	100
1958	36	22	-	36	3	3	9	16	*	11	100
1959	46	17	-	35	4	2	13	15	2	12	100
1960	54	14	-	33	12	7	21	6	-	7	100
1961	-	11	1	43	6	5	16	12	*	6	100
State											
1957	259	7	-	41	5	14	6	8	7	12	100
1958	308	5	-	53	2	11	7	5	8	9	100
1959	379	5	1	48	2	8	9	5	13	9	100
1960	454	5	-	42	3	18	9	5	12	6	100
1961	-	5	2	54	3	12	9	6	4	5	100

* Less than 0.5 percent.


1/ Includes small acreages planted to varieties other than those specified.

Table 21. Oklahoma: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1961.

District and County	Gins	1960 Ginnings	Austin	Gregg	Lankart	Lockett	Northern Star	Parrot	Western Stormproof	Other ^{1/}	Total
		1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Beckham	12	43.0	-	-	35	12	18	6	27	2	100
Blaine	5	6.5	-	-	28	-	38	16	13	5	100
Caddo	16	42.9	-	-	39	1	17	29	-	14	100
Comanche	3	3.6	-	-	46	-	33	16	-	5	100
Cotton	3	6.1	-	5	27	3	10	50	-	5	100
Custer	4	14.2	-	-	92	-	1	-	5	2	100
Greer	8	25.5	-	-	74	2	12	8	1	3	100
Harmon	8	26.6	4	21	39	-	15	-	-	21	100
Jackson	15	52.4	11	1	44	-	28	-	-	16	100
Kiowa	9	37.3	1	-	87	1	7	1	-	3	100
Roger Mills	3	6.9	-	-	30	20	1	7	37	5	100
Tillman	13	47.8	2	-	84	1	3	6	-	4	100
Washita	11	45.4	-	-	84	2	5	1	6	2	100
All Other	1	4.3	-	-	70	-	15	-	12	3	100
Total	111	362.5	2	2	61	3	13	7	5	7	100
District 2											
			Delta-pine	Hibred and Half & Half	Lankart	Northern Star	Parrot	Stone-ville	Western Stormproof	Other ^{1/}	Total
Canadian	5	6.5	1	-	52	8	30	4	1	4	100
Logan	3	1.8	15	-	16	-	12	52	-	5	100
Muskogee	9	11.2	56	-	-	2	2	36	-	4	100
Pittsburg	3	1.1	31	-	-	1	3	60	-	5	100
Wagoner	4	3.9	64	-	3	3	5	18	-	7	100
All Other	16	12.7	10	1	13	4	11	58	-	3	100
Total	40	37.2	28	*	15	4	11	38	*	4	100
District 3											
			Delta-pine	Hibred and Half & Half	Lankart	Lockett	Northern Star	Parrot	Stone-ville	Other ^{1/}	Total
Bryan	5	8.5	7	-	28	2	-	44	19	-	100
Grady	8	14.1	1	-	93	-	-	3	-	3	100
Jefferson	4	5.8	-	-	26	16	15	30	8	5	100
All Other	14	25.8	20	5	23	9	7	11	18	7	100
Total	31	54.2	11	3	43	6	5	16	12	4	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.



TEXAS
DISTRICTS FOR COTTON
QUALITY REPORTS

Table 22. Texas: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1957-61.

District and State	Ginnings	Acala	American Egyptian	Anton	Delfes	Delta-pine	Gregg	Lunkart	Lookett	Northern Star	Pay-master	Qualla	Rex	Stone-ville	Storm King	TPSA	Western Stormproof	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1																			
1957	1,572	4	-	2	-	1	-	47	4	6	17	-	-	-	-	-	2	17	100
1958	1,999	4	-	1	-	1	2	51	2	9	9	•	-	-	2	-	5	14	100
1959	1,897	6	-	3	-	1	10	•	•	2	12	1	•	-	2	-	4	9	100
1960	1,956	5	-	2	-	-	18	51	1	3	5	-	2	-	•	-	5	8	100
1961	-	3	-	1	-	•	20	42	1	3	5	1	2	-	•	6	8	8	100
District 2																			
1957	476	2	-	-	-	4	-	25	6	21	5	•	-	-	-	-	23	14	100
1958	536	2	-	-	-	2	•	28	4	17	2	•	-	-	4	-	31	10	100
1959	599	3	-	•	-	2	1	28	4	10	2	•	•	-	3	-	40	7	100
1960	722	1	-	-	•	1	4	28	5	13	1	1	•	-	4	-	36	6	100
1961	-	2	-	-	-	1	7	24	5	14	3	2	•	-	3	•	34	5	100
District 3																			
1957	15	1	-	-	-	6	-	26	11	13	1	6	-	-	-	-	1	35	100
1958	11	-	-	-	-	-	-	46	15	7	-	4	-	-	-	-	-	28	100
1959	12	•	-	-	-	•	-	40	12	2	-	•	-	-	7	-	14	25	100
1960	16	-	-	-	-	-	-	52	11	3	-	•	-	-	2	-	21	11	100
1961	-	-	-	1	-	-	-	42	12	1	1	•	-	-	-	-	30	13	100
District 4																			
1957	411	1	-	-	-	5	-	54	•	12	-	11	-	-	1	-	-	16	100
1958	418	1	-	-	-	3	-	56	•	17	-	6	-	-	2	-	1	14	100
1959	473	•	-	•	-	2	-	64	•	13	•	8	•	-	3	-	•	10	100
1960	446	•	-	2	-	3	-	67	2	12	-	4	2	-	3	-	•	5	100
1961	-	-	-	4	-	3	•	70	•	8	•	2	2	-	3	2	•	6	100
District 5																			
1957	137	-	-	-	-	59	-	6	-	2	-	7	-	-	-	-	-	26	100
1958	96	1	-	-	-	46	-	11	-	3	-	5	-	-	3	-	-	31	100
1959	124	1	-	-	-	63	-	8	-	2	•	8	1	-	•	-	-	17	100
1960	119	•	-	-	-	61	-	14	-	5	-	4	3	-	•	-	-	13	100
1961	-	1	-	•	-	65	-	13	•	6	•	4	2	-	•	•	-	9	100
District 6																			
1957	283	85	12	-	-	•	-	-	-	•	-	-	-	1	-	-	-	2	100
1958	301	85	10	-	-	1	-	-	-	-	•	-	-	1	-	-	-	3	100
1959	291	87	11	-	-	•	-	-	-	-	-	-	-	•	-	-	-	2	100
1960	272	87	11	-	-	1	-	-	-	-	-	-	-	•	-	-	-	1	100
1961	-	67	9	-	•	15	•	2	1	•	•	-	•	1	-	-	•	5	100
District 7																			
1957	16	-	-	-	-	-	-	56	-	5	-	10	-	-	-	-	16	13	100
1958	29	10	-	-	-	-	-	49	-	3	-	4	-	-	-	-	24	10	100
1959	8	50	-	-	•	•	-	34	-	•	-	3	-	-	1	-	39	15	100
1960	54	5	-	-	-	-	-	29	-	•	-	6	-	-	-	-	52	8	100
1961	-	3	-	-	-	-	-	51	-	-	-	3	-	-	-	-	39	4	100
District 8																			
1957	231	2	-	-	15	22	-	24	-	11	-	5	-	3	•	-	-	18	100
1958	265	-	-	-	18	16	-	28	-	8	-	7	-	3	1	-	-	19	100
1959	303	•	-	-	20	14	-	28	-	8	-	4	•	3	4	-	-	19	100
1960	264	•	-	6	12	15	-	30	-	8	•	6	-	8	2	1	-	12	100
1961	-	-	-	5	15	12	-	28	-	3	-	2	1	18	3	1	-	12	100
District 9																			
1957	147	1	-	-	1	81	-	4	-	1	-	•	-	1	-	-	-	11	100
1958	151	1	-	-	•	77	-	4	-	1	-	-	-	2	1	-	-	14	100
1959	151	2	-	-	1	82	-	5	-	1	-	•	•	•	-	-	-	8	100
1960	105	•	-	-	1	80	-	8	-	2	-	-	•	2	•	-	-	7	100
1961	-	-	-	-	-	76	-	4	-	2	-	-	3	5	1	1	-	8	100
District 10																			
1957	313	1	-	-	6	56	-	1	-	5	•	1	-	16	•	-	-	14	100
1958	437	5	-	-	7	53	-	2	-	1	•	1	-	17	2	-	-	12	100
1959	503	4	-	-	9	35	-	1	-	3	1	1	8	25	4	-	-	10	100
1960	391	2	-	-	7	42	-	1	-	1	•	1	1	32	4	-	-	9	100
1961	-	-	-	•	3	43	-	1	-	1	-	•	•	42	1	-	-	9	100
State																			
1957	3,601	10	1	-	2	16	-	31	2	7	8	2	-	2	•	-	3	16	100
1958	4,243	9	1	1	2	12	1	36	2	9	4	2	-	2	2	-	6	11	100
1959	4,403	9	1	1	2	11	5	35	1	4	5	2	1	3	2	-	8	10	100
1960	4,345	8	1	1	2	11	8	36	1	5	2	1	1	4	1	•	7	11	100
1961	-	6	1	1	1	10	10	33	1	5	3	1	2	5	1	3	10	7	100

• Less than 0.5 percent.
1/ Includes small acreages planted to varieties other than those specified.

Table 23. Texas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1961.

District and County	Gins	1960 Ginnings	Acala	Austin	Blight Master	Oregg	Lankart	Northern Star	Pay-master	Rex	TPSA	Western Stormproof	Other 1/	Total
	Number	bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1														
Bailey	20	89.9	-	1	-	40	33	5	6	4	3	-	8	100
Briscoe	6	24.1	-	-	-	42	22	25	8	-	-	-	3	100
Castro	15	49.0	-	-	-	49	25	3	8	1	2	-	12	100
Cochran	14	48.4	-	2	-	51	33	2	-	-	7	1	4	100
Crosby	20	125.6	1	1	-	3	60	13	11	1	2	-	8	100
Dawson	25	159.9	8	1	4	8	34	-	-	6	-	29	10	100
Deaf Smith	3	8.3	-	-	-	45	-	-	5	9	-	-	41	100
Floyd	22	107.4	-	-	1	23	34	10	27	1	-	-	4	100
Gaines	13	44.0	9	18	23	7	12	-	-	10	-	5	16	100
Hale	34	187.9	2	-	1	30	39	4	8	2	8	-	6	100
Hockley	35	167.9	-	-	5	17	56	2	2	1	7	-	10	100
Howard	12	41.1	3	-	2	-	-	-	-	-	-	91	4	100
Lamb	34	175.7	-	2	-	50	22	2	6	3	1	-	14	100
Lubbock	40	244.4	-	-	-	3	78	4	-	1	6	-	8	100
Lynn	26	157.0	-	-	1	1	52	-	-	1	26	17	2	100
Martin	13	67.8	31	8	2	2	13	-	-	-	-	39	5	100
Parmer	15	39.9	-	26	-	48	6	-	15	-	-	-	5	100
Swisher	12	49.0	-	-	-	25	31	5	5	1	31	-	2	100
Terry	21	114.0	-	-	3	34	47	-	2	7	4	-	3	100
Yoakum	9	23.8	8	13	2	9	57	-	2	-	-	-	9	100
All Other	7	30.4	29	13	9	3	18	-	1	-	-	23	4	100
Total	396	1,955.5	3	2	2	20	42	3	5	2	6	8	7	100
District 2														
Baylor	3	12.3	5	-	-	24	-	3	-	10	2	49	7	100
Childress	5	27.4	-	-	10	34	7	6	-	5	-	28	10	100
Collingsworth	9	40.6	1	-	52	5	8	16	-	-	5	7	6	100
Cottle	6	25.5	2	16	4	43	2	25	8	-	-	-	-	100
Dickens	6	33.0	-	-	4	54	6	-	-	2	-	27	7	100
Donley	4	9.1	-	-	18	9	11	20	12	-	-	29	1	100
Fisher	9	51.3	-	-	-	2	-	-	-	2	-	87	9	100
Foard	4	8.3	-	-	-	39	27	29	-	-	-	-	5	100
Garza	6	23.0	-	-	3	57	3	-	-	-	-	29	8	100
Hall	14	60.7	-	-	20	6	21	24	9	3	-	14	3	100
Hardeman	6	18.0	20	4	8	31	12	24	-	-	-	-	1	100
Haskell	12	69.4	-	-	-	22	-	36	1	-	18	20	3	100
Jones	16	51.0	-	-	-	47	1	29	2	-	1	14	6	100
Knox	7	31.9	7	8	-	23	-	12	2	1	17	26	4	100
Mitchell	9	34.1	-	-	-	-	-	-	-	-	-	93	7	100
Motley	4	18.4	-	-	3	31	11	19	4	-	-	7	25	100
Nolan	6	24.9	-	-	-	22	-	-	1	3	-	69	5	100
Runnels	15	53.9	1	1	-	20	-	-	6	7	1	60	4	100
Scurry	9	32.8	-	-	-	8	-	-	-	-	-	85	7	100
Stonewall	3	6.9	-	-	-	71	-	-	-	1	1	24	3	100
Taylor	6	14.0	-	-	-	36	-	-	17	-	-	39	8	100
Wheeler	6	13.0	-	-	32	32	17	5	5	-	-	9	-	100
Wilbarger	10	33.2	-	-	9	34	23	19	-	5	3	3	4	100
All Other	9	29.4	-	-	4	30	2	21	-	1	-	36	6	100
Total	184	722.1	2	1	7	24	5	14	3	2	3	34	5	100
District 3														
Clay	3	3.5	-	-	72	19	-	-	-	-	9	-	-	100
All Other	14	12.0	1	3	33	10	1	*	2	39	11	-	-	100
Total	17	15.5	1	2	42	12	1	*	1	30	11	-	-	100
District 4														
Bell	18	19.2	6	-	73	-	10	-	1	-	-	-	10	100
Collin	20	35.2	-	-	76	-	11	-	1	2	2	4	4	100
Coryell	3	4.9	-	-	72	-	18	-	-	-	-	-	10	100
Dallas	4	5.9	-	-	87	-	-	-	-	-	-	4	9	100
Delta	7	12.8	-	-	19	-	11	-	3	17	4	46	-	100
Denton	3	3.2	-	-	69	7	7	-	4	-	-	-	13	100
Ellis	29	49.6	-	-	85	-	4	1	-	1	1	-	8	100
Falls	16	17.0	7	30	52	-	3	-	-	-	-	-	8	100
Fannin	16	21.5	-	3	67	-	21	-	-	2	1	-	6	100
Grayson	7	12.4	-	-	65	4	21	-	2	6	-	-	2	100
Hill	25	37.0	2	-	90	-	3	-	1	-	-	-	4	100
Hunt	17	31.8	-	-	75	-	3	-	3	2	9	2	6	100
Johnson	7	10.2	-	-	94	3	-	-	1	-	-	2	-	100
Kaufman	10	17.1	-	-	89	-	2	-	2	-	2	2	3	100
Lamar	11	19.1	-	14	22	-	24	-	3	30	6	-	1	100
Limestone	6	7.8	-	-	79	-	16	-	3	-	-	-	2	100
McLennan	26	31.1	-	-	72	-	14	-	3	-	-	-	11	100
Milam	11	16.9	-	33	54	-	-	-	-	-	-	-	13	100
Navarro	18	24.1	7	-	78	-	5	-	1	-	5	4	-	100
Rockwall	5	8.7	-	-	64	-	8	-	3	-	19	6	-	100
Tarrant	5	6.9	-	10	76	-	7	-	2	-	2	-	3	100
Williamson	32	45.4	26	-	48	-	6	-	1	-	5	-	14	100
All Other	6	8.5	-	-	79	3	3	-	9	-	-	-	6	100
Total	302	446.3	4	3	70	*	8	*	2	2	3	2	6	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 23. Texas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1961 - continued.

District and County	Gins	1960 Ginnings	Acala	Anton	Delta-pine	Empire	Lankart	Northern Star	Qualla	Rex	Storm King	TPSA	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 5														
Bowie	3	4.5	-	-	100	-	-	-	-	-	-	-	-	100
Brazos	6	19.9	-	-	93	-	-	-	-	-	-	-	7	100
Grimes	6	8.6	-	-	85	-	-	-	10	-	-	-	5	100
Harrison	4	2.3	35	-	63	-	-	1	1	-	-	-	-	100
Hopkins	4	4.9	-	-	-	-	73	3	10	-	-	-	14	100
Houston	7	6.8	-	-	76	-	-	-	14	2	-	-	8	100
Leon	3	3.0	-	-	86	-	8	-	-	-	-	-	6	100
Red River	5	7.4	-	-	1	-	46	2	19	28	-	3	1	100
Robertson	9	32.4	-	-	82	-	-	15	-	-	-	-	3	100
Shelby	3	.5	-	-	69	-	-	20	-	-	-	-	11	100
Van Zandt	3	4.0	-	-	-	-	90	3	-	-	3	-	4	100
Waller	3	1.5	-	-	88	-	2	-	-	-	-	-	10	100
All Other	31	23.6	-	2	35	4	21	8	6	2	*	*	22	100
Total	87	119.4	1	*	65	1	13	6	4	2	*	*	8	100
			Acala 1517BR	Acala 1517C	Acala 1517D	Del Cerro	DPL Smooth Leaf	Lankart	Pima S-1	Other 1/	----	----	----	Total
District 6														
El Paso	22	85.5	-	68	7	-	-	-	24	1	-	-	-	100
Hudspeth	7	28.3	-	83	3	8	*	*	3	3	-	-	-	100
Pecos	9	45.0	3	34	3	1	25	13	-	21	-	-	-	100
Reeves	21	98.4	6	53	4	3	29	-	4	1	-	-	-	100
All Other	5	15.1	12	68	4	-	10	-	-	6	-	-	-	100
Total	64	272.3	3	59	5	2	15	2	9	5	-	-	-	100
			Acala	Lankart	Qualla	Western Stormproof	Other 1/	----	----	----	----	----	----	Total
District 7														
McCulloch	6	5.5	-	-	-	91	9	-	-	-	-	-	-	100
Tom Green	7	31.5	2	68	5	23	2	-	-	-	-	-	-	100
All Other	5	16.6	6	35	1	53	5	-	-	-	-	-	-	100
Total	18	53.6	3	51	3	39	4	-	-	-	-	-	-	100
			Anton	Bagley	Delfos	Delta-pine	Harper	Lankart	Northern Star	Qualla	Stoneville	Storm King	Other 1/	Total
District 8														
Austin	14	6.6	-	-	-	41	21	-	6	7	6	-	19	100
Bastrop	3	3.2	46	-	-	18	-	8	-	3	-	-	25	100
Bee	4	5.4	-	-	-	1	-	53	3	-	10	22	11	100
Burleson	9	21.8	-	-	-	93	-	-	-	1	-	1	5	100
Caldwell	6	7.1	48	17	-	2	-	1	3	-	-	14	15	100
Colorado	3	4.6	12	-	-	47	-	-	-	-	15	-	26	100
De Witt	3	2.4	2	-	-	-	-	61	14	22	-	-	1	100
Fayette	10	6.9	26	-	-	1	-	32	-	13	-	2	26	100
Guadalupe	5	5.9	-	-	-	-	21	42	-	-	-	-	37	100
Hays	4	3.9	18	12	-	-	-	55	2	-	-	4	9	100
Karnes	6	5.7	8	-	-	-	-	61	1	1	-	20	9	100
Lavaca	10	11.5	16	-	-	1	-	46	-	-	1	24	12	100
Lee	3	2.8	4	-	-	3	-	78	-	10	-	-	5	100
Nueces	29	80.7	-	-	47	2	-	-	4	-	38	-	9	100
Refugio	4	6.8	-	-	-	10	-	68	12	-	4	-	6	100
San Patricio	22	68.0	-	-	3	2	-	65	2	-	21	-	7	100
Travis	10	8.0	32	2	-	-	-	39	-	8	-	6	13	100
Washington	11	7.0	-	-	7	12	-	11	-	34	20	-	16	100
All Other	4	5.8	-	12	-	16	-	11	-	-	-	23	38	100
Total	160	264.1	5	1	15	12	1	28	3	2	18	3	12	100
			Delta-pine	Empire	Fox	Lankart	Northern Star	Rex	Stoneville	Storm King	TPSA	Other 1/	----	Total
District 9														
Brazoria	4	10.0	80	-	4	-	-	-	4	-	-	12	-	100
Calhoun	5	6.0	62	-	-	-	7	5	9	-	11	6	-	100
Port Bend	19	30.2	89	-	-	-	-	2	3	-	-	6	-	100
Jackson	6	6.0	82	1	-	6	-	2	4	2	-	3	-	100
Matagorda	7	6.6	82	3	-	-	-	4	10	-	-	1	-	100
Victoria	8	8.7	10	5	-	47	13	3	1	4	9	8	-	100
Wharton	21	34.3	82	-	-	-	1	3	6	-	-	8	-	100
All Other	1	3.0	85	5	-	-	-	-	-	-	-	10	-	100
Total	71	104.8	76	1	*	4	2	3	5	1	1	7	-	100
			Delfos	Delta-pine	Empire	Lankart	Mebane	Northern Star	Qualla	Rex	Stoneville	Storm King	Other 1/	Total
District 10														
Cameron	38	119.2	4	44	7	-	-	1	-	1	36	1	6	100
Frio	3	6.6	-	86	-	-	-	-	-	-	-	-	14	100
Ridalgo	37	161.9	3	42	1	-	3	1	-	-	45	1	4	100
Jim Wells	4	7.5	6	-	-	28	-	16	15	7	17	4	7	100
Starr	3	6.8	15	15	-	-	2	8	3	-	35	17	5	100
Willacy	18	70.5	-	33	-	-	-	-	-	-	61	1	5	100
Zavala	3	12.4	-	97	-	-	-	-	-	-	-	-	3	100
All Other	9	6.3	-	46	-	26	2	1	4	-	-	4	17	100
Total	115	391.2	3	43	3	1	1	1	*	*	42	1	5	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 24. Other Southeastern and South Central States: Estimated percentage of cotton acreage planted to specified varieties, by states, 1957-61.

State and Year	Ginnings	Auburn 56	Coker 100	Delta-pine	DPL Smooth Leaf	Empire	Fox	Plains	Rex	Wannamaker All-in-one	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Virginia												
1957	7	-	98	1	-	1	-	-	-	-	-	100
1958	8	-	97	1	-	2	-	-	-	-	-	100
1959	11	-	95	*	-	5	-	-	-	-	-	100
1960	9	-	87	-	-	13	-	-	-	-	-	100
1961	-	-	65	-	-	5	-	-	30	-	-	100
Florida												
1957	7	-	67	7	-	5	1	11	-	-	9	100
1958	6	-	55	2	-	14	-	13	-	12	4	100
1959	9	-	62	2	-	15	-	13	-	-	8	100
1960	11	4	39	2	-	17	-	23	-	-	15	100
1961	-	24	42	-	-	11	-	14	-	8	1	100
Kentucky												
1957	4	-	-	93	-	-	7	-	-	-	*	100
1958	4	-	-	83	-	-	17	-	-	-	-	100
1959	8	-	-	82	-	-	13	-	-	-	5	100
1960	6	-	-	46	28	-	14	-	8	-	4	100
1961	-	-	-	21	54	-	23	-	-	-	2	100
Illinois												
1957	1	-	-	2	-	-	74	-	-	-	24	100
1958	1	-	-	-	-	43	52	-	-	-	5	100
1959	1	-	-	-	-	38	62	-	-	-	-	100
1960	1	-	-	-	-	30	48	-	22	-	-	100
1961	-	-	-	-	-	7	77	-	16	-	-	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 25. Western Area: Estimated percentage of cotton acreage planted to specified varieties, by states, 1957-61.

State and Year	Ginnings	Acala 4-42	Acala 44	Acala 1517BR	Acala 1517C	Acala 1517D	Del Cerro	DPL Smooth Leaf	Lankart	Pima S-1	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona												
1957	754	4	81	-	4	-	-	-	-	6	5	100
1958	737	7	80	-	5	-	-	-	-	6	2	100
1959	720	6	81	-	7	-	-	-	-	5	1	100
1960	849	13	50	-	9	-	-	1	-	4	23	100
1961	-	11	6	-	7	*	-	71	-	3	2	100
California												
1957	1,557	96	1	-	-	-	-	-	-	-	3	100
1958	1,624	94	1	-	-	-	-	-	-	-	5	100
1959	1,947	92	*	-	-	-	-	1	-	-	7	100
1960	1,964	93	1	-	*	-	*	6	-	-	*	100
1961	-	89	*	-	-	-	*	11	-	-	-	100
Nevada												
1957	-	-	-	-	-	-	-	-	-	-	-	-
1958	-	-	-	-	-	-	-	-	-	-	-	-
1959	-	-	-	-	-	-	-	-	-	-	-	-
1960	5	-	-	-	100	-	-	-	-	-	-	100
1961	-	-	-	-	100	-	-	-	-	-	-	100
New Mexico												
1957	223	-	-	2	78	-	-	-	4	2	14	100
1958	282	-	-	3	76	-	-	-	4	4	13	100
1959	303	-	-	13	73	-	-	-	4	3	7	100
1960	270	-	-	8	78	*	-	-	1	3	10	100
1961	-	-	*	3	73	9	2	*	1	3	9	100
Texas - District 6												
1957	283	-	-	6	79	-	-	-	-	12	3	100
1958	301	-	-	6	79	-	-	-	-	10	5	100
1959	291	*	*	11	75	-	-	-	-	11	3	100
1960	272	-	1	17	69	-	-	-	-	11	2	100
1961	-	*	-	3	59	5	2	15	2	9	5	100

* Less than 0.5 percent.


1/ Includes small acreages planted to varieties other than those specified.

Table 26. Western Area: Estimated percentage of cotton acreage planted to specified varieties, by states and counties, crop of 1961.

States and Counties	Gins	1960 Ginnings	Acala 4-42	Acala 44	Acala 1517C	Acala 124-68	DPL Smooth Leaf	Pima S-1	Pima S-2	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona											
Cochise	6	27.8	-	-	94	-	3	-	-	3	100
Graham	6	31.3	-	*	67	-	-	32	*	1	100
Maricopa	56	349.9	6	9	-	*	81	2	1	1	100
Pima	11	61.6	65	2	10	-	15	5	1	2	100
Pinal	50	308.7	11	5	-	*	83	1	*	*	100
Yuma	12	64.6	1	5	-	-	93	-	-	1	100
All Other	1	5.2	-	-	98	-	-	-	-	2	100
Total	142	849.1	11	6	7	*	71	3	1	1	100
California											
			Acala 4-42	Acala 44	Acala WR 44	Del Cerro	Delta-pine	DPL Smooth Leaf	Stone-ville	Other 1/	Total
Fresno	77	506.4	100	-	-	-	-	-	-	-	100
Imperial	17	165.5	1	*	*	-	1	98	*	-	100
Kern	64	515.2	100	-	-	-	-	-	-	-	100
Kings	26	231.3	100	-	-	-	-	-	-	-	100
Madera	16	91.1	100	-	-	-	-	-	-	-	100
Merced	10	76.8	100	-	-	-	-	-	-	-	100
Riverside	8	63.0	12	3	3	*	-	82	-	-	100
Tulare	44	314.5	100	-	-	-	-	-	-	-	100
Total	262	1,963.8	89	*	*	*	*	11	*	-	100
New Mexico											
			Acala 1517BR	Acala 1517C	Acala 1517D	Del Cerro	Empire	Gregg	Pima S-1	Other 1/	Total
Chaves	10	48.1	-	85	5	8	1	-	-	1	100
Dona Ana	17	81.4	-	81	7	2	-	-	10	-	100
Eddy	12	52.3	4	87	7	-	*	-	-	2	100
Hidalgo	3	15.7	-	75	25	-	-	-	-	-	100
Lea	11	23.7	24	11	5	-	14	7	-	39	100
Luna	5	32.8	-	78	22	-	-	-	-	-	100
Roosevelt	5	11.7	-	-	-	-	5	80	-	15	100
All Other	4	4.7	10	54	13	-	1	9	-	13	100
Total	67	270.4	3	73	9	2	2	4	3	4	100
Texas											
District 6											
			Acala 1517BR	Acala 1517C	Acala 1517D	Del Cerro	DPL Smooth Leaf	Lankart	Pima S-1	Other 1/	Total
El Paso	22	85.5	-	68	7	-	-	-	24	1	100
Hudspeth	7	28.3	-	83	3	8	*	*	3	3	100
Pecos	9	45.0	3	34	3	1	25	13	-	21	100
Reeves	21	98.4	6	53	4	3	29	-	4	1	100
All Other	5	15.1	12	68	4	-	10	-	-	6	100
Total	64	272.3	3	59	5	2	15	2	9	5	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



1022919561

LIBRARY
PLANT VARIETY PROTECTION OFFICE
U. S. DEPARTMENT OF AGRICULTURE



Growth Through Agricultural Progress